



colour laser printer



# Office colour performance redefined





# Phaser® 6360

## Colour Laser Printer

**Setting the standard** for high-performance colour laser printers, the Xerox Phaser 6360 leads the industry with best-in-class print speed and exceptional colour performance. Easy to operate and engineered to meet the exacting demands of high-volume office environments, the Phaser 6360 laser printer isn't just an obvious choice; it's the only choice.

### Unrivalled performance

**In the race for print speed supremacy, the Phaser 6360 printer sets the pace.**

- Get unparalleled, professional-quality colour at a high print speed of up to 40 ppm – so fast, jobs you used to outsource can be printed in-house.
- Stay efficient in a busy environment with a first-page-out time as fast as 9 seconds.
- A print resolution of 2400 dpi and Adobe® PostScript® 3™ print description language combine to give your work vibrant, true-to-life colours and crisp text and image definition.
- As the industry's only A4-size colour printer with a built-in 1 GHz processor, the Phaser 6360 has the power to handle even the most complex print jobs.
- The Phaser 6360DN, DT and DX configurations feature standard onboard duplexing for fast, automatic, two-sided printing.

### Printing simplified


**With ultra-fast setup and seamless operation, the Phaser 6360 printer delivers unbeatable ease-of-use.**

- User-friendly installation software gets the Phaser 6360 out of the box and running smoothly on your network in minutes.
- PhaserSMART™ online troubleshooting saves you time by providing 24/7 access to the Xerox knowledge base system.
- Check print job status from the comfort of your chair with Xerox CentreWare® IS Embedded Web Server which works seamlessly with your browser.
- The built-in PrintingScout™ function tracks print jobs and provides immediate print-issue alerts and timely correction suggestions.
- Smart Trays alleviate guesswork by showing all available media types and sizes at print time.
- Convenient email alerts notify network administrators of common delays, such as low toner levels, to help maintain an uninterrupted workflow.



*Printer management made simple. Easily manage, configure and monitor the Phaser 6360 with intuitive, built-in software.*

*Real-time paper and supply level status lets you take action before the printer runs out.*



*Spectacular results. Bring everyday office print jobs to life with attention-grabbing colour quality.*




Not only is the Phaser 6360 printer ultra-fast and easy to use, it's also designed to provide the utmost in flexibility. As the number of users increases, so can the print-volume capability.

## Built for sharing

High-capacity paper volumes, powerful performance features and seamless network integration make the Phaser 6360 the ultimate multi-user printing solution.

- A maximum paper input of 2,350 pages and high-capacity toner cartridges keep the Phaser 6360 poised to handle a steady stream of print jobs.
- Up to five paper trays allow the Phaser 6360 to easily adapt to the size of your office.
- A 100,000-page-per-month duty cycle provides reliable operation for high-demand office environments.
- A variety of printing possibilities – from booklet to banner to a full range of custom sizes – lets your creativity run wild.
- Administrators can easily collect, organise and analyse print job accounting data from multiple printers via the Usage Analysis Tool.



- ① The standard 150-sheet multi-purpose tray supports a wide range of media, from executive to banner, card stock to envelopes.
- ② The standard 550-sheet tray boosts capacity for extended printing.
- ③ An optional 550-sheet paper tray provides added convenience and no-hassle media loading.
- ④⑤ Add the 1,100-sheet, high-capacity feeder and turn the Phaser 6360 into a convenient floor-standing printer with a total paper capacity of 2,350 sheets.



CONFIGURATIONS	Phaser 6360N	Phaser 6360DN	Phaser 6360DT	Phaser 6360DX
<b>Speed</b>	Up to 40 ppm colour / 40 ppm black and white			
<b>Duty Cycle</b>	100,000 pages / month*			
<b>Paper Handling</b>	Tray 1 (MPT): 150 sheets; Selectable sizes: 89 x 140 mm to 216 x 914 mm			
Paper input	Standard Tray 2: 550 sheets; Selectable sizes: Up to A4			
Additional 550-sheet Feeder	Optional		Standard	Optional
Additional 1100-sheet Feeder	Optional			Standard
Paper output	250 sheets			
Two-sided output	Optional	Standard		
<b>Print</b>				
First-page-out time	As fast as 9 seconds colour			
Resolution (max)	2400 x 600 dpi			
Processor	1 GHz			
Memory (std / max)	256 MB / 1 GB		512 MB / 1 GB	
Connectivity	10/100Base-TX Ethernet, USB 2.0			
Page Description Languages	Adobe® PostScript® 3™, PCL® 5c emulation			
Print features	Booklet printing, Poster printing, Negative image, Mirror image, Scaling, Watermarks, Custom-size pages, Run Black, Covers, Separators, Ram collation, Remote Printing, N-up			
Productivity kit	Optional			Hard drive: Secure/Proof/Personal/ Shared Saved/Personal Saved Print, Print With, Hard disk collation, PDF-direct print, Extended font/form storage
<b>Warranty</b>	One-year on-site warranty**			

\*Print volume uniformly distributed over 30 days.

\*\*Products purchased under a "PagePack" agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

**Device Management**

CentreWare® IS Embedded Web Server, CentreWare Web, Xerox NDPS Gateway, Xerox Usage Analysis Tool, Xerox Support Centre, Configuration card, PrintingScout™, MailinX email alerts, PhaserSMART®

**Print Drivers**

Windows® 2000/XP/2003 Server, Vista™, Mac OS® 9.x/X version 10.2 and higher, Novell NetWare® 5.x/6.5 (NPDS only), Linux Red Hat®, Fedora™ Core 5, SUSE™ Linux 10.0, UNIX: Sun Solaris™ 9/10, IBM AIX® 5.1, HP/UX® 11.0/11i, Xerox Walk-Up® Printer Drivers with Windows 2000 or higher

**Security**

802.1x protocol (EAP-MD5, EAP-TLS, EAP-PEAPv0-MSCHAPv2)

**Font Support**

PostScript® Fonts: 139; PCL® Fonts: 81

**Media Handling**

Tray 1 (MPT): 65–216 gsm  
Trays 2–5: 65–163 gsm  
Two-sided output: 65–163 gsm  
Media types: Plain paper, glossy, envelopes, labels, transparencies, card stock

**Colour Standards**

PANTONE® Colour approved solid-colour simulations, Adobe® PostScript® device-independent colour, CIE International colour standards, Colour options, ICC Profile, Apple ColorSync®

**Operating Environment**

Temperature: Storage: 0° to 35° C, Operating: 10° to 32° C  
Humidity: 15% to 85%  
Sound pressure: Printing: 58.0 dB(A), Standby: 34.4 dB(A)  
Sound power: Printing: 7.26 B, Standby: 5.0 B  
Warm-up time (from sleep mode): 49 seconds

**Electrical**

Power: 220-240 VAC, 50/60 Hz  
Power consumption: 110–127 VAC: Standby: less than 105 W, Printing: less than 750 W, Power save: less than 20 W, 220–240 VAC: Standby: less than 95 W, Printing: less than 750 W, Power save: less than 22 W, 6360DN/DT/DX: ENERGY STAR® qualified

**Dimensions (WxDxH)**

6360N/DN: 429 x 580 x 513 mm  
6360DT: 429 x 580 x 643 mm  
6360DX: 572 x 698 x 854 mm  
Weight: 6360N/DN: 35.2 kg, 6360DT: 42 kg, 6360DX: 56.2 kg

**Certifications**

FCC Part 15, Class A, Listed UL 60950-1/CSA 60950-1-03, CE Mark applicable to Directives 73/23/EEC, 89/336/EEC, and 1999/5/EC, Section 508 ADA

**Supplies**

Standard-capacity toner cartridge:  
Black: 9,000 pages<sup>1</sup> 106R01217  
Cyan: 5,000 pages<sup>1</sup> 106R01214  
Magenta: 5,000 pages<sup>1</sup> 106R01215  
Yellow: 5,000 pages<sup>1</sup> 106R01216  
High-capacity toner cartridge:  
Black: 18,000 pages<sup>1</sup> 106R01221  
Cyan: 12,000 pages<sup>1</sup> 106R01218  
Magenta: 12,000 pages<sup>1</sup> 106R01219  
Yellow: 12,000 pages<sup>1</sup> 106R01220

**Routine Maintenance Items**

Imaging unit: 35,000 pages<sup>2</sup> 108R00645  
220V Fuser: 100,000 pages<sup>3</sup> 115R00056  
Transfer roller: 35,000 pages<sup>3</sup> 108R00646

**Options**

N to DN Upgrade 097S03791  
Productivity kit 097S03747  
550-sheet feeder 097S03378  
1100-sheet feeder 097S03379  
256 MB Phaser memory 097S03381  
512 MB Phaser memory 097S03382  
Wireless network adapter  
- Euro power converter 097S03741  
- UK power converter 097S03742



<sup>1</sup>Average standard pages. Declared yield based on 5% area coverage on an A4-size page. Yield will vary based on image, area coverage and print mode.

<sup>2</sup>Approximate pages. Declared yield based on an average job size of 4 pages A4-size. Yield will vary depending on job run length and media size and orientation.

<sup>3</sup>Approximate pages. Declared yield based on A4-size 75 gsm pages. Yield will vary depending on media type, size, weight, orientation, and usage patterns.

Copyright © 2007 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced in any form without permission of XEROX CORPORATION. XEROX®, Phaser® PhaserSmart™, CentreWare® and PrintingScout™ are trademarks of XEROX CORPORATION in the U.S. and/or other countries. Total Satisfaction Services is a service mark of XEROX CORPORATION. All other trademarks are the property of their respective manufacturers. PANTONE Colours generated may not match PANTONE-identified standards. Consult current PANTONE publications for accurate colour. PANTONE, and other Pantone, Inc. trademarks are the property of Pantone, Inc. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR partner, XEROX CORPORATION has determined that these products (Phaser 6360DN / DT / DX) meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. 2/07 6368R-01EA